



Art.-Nr: WER529CC-AZ
Emergency light Centralised power supply systems
Recessed wall mounting, CPS, IP20, Zinc die-cast, Anthracite

High-grade and discreet zinc die-cast safety luminaire for recessed mounting in the wall.

This is intended for mounting in conventional switch boxes where the mounting frame can be aligned to the box. The zinc die-cast ornamental cover is locked using a fastener that cannot be seen from the outside.

Control and monitoring via central 24 V low-power system.



More information

www.rp-group.com/en/item/WER529CC-AZ



TECHNICAL DATA









| | |
|-------------------------------------|----------------------------------|
| Luminaire type | Emergency light |
| Mounting | Recessed wall mounting |
| Pictograph | No |
| Illuminant | LED |
| Housing material | Zinc die-cast |
| Housing color | Anthracite |
| Protection type (IP) | IP20 |
| Impact resistance (IK) | ≥ 3 |
| Certification | WEEE, CE |
| Insulation class | 3 |
| Supply | Centralised power supply systems |
| Monitoring | CoreCompact 24 (CC) |
| Bridging time | CPS |
| Battery | / |
| Operating mode | Non-maintained / maintained |
| Input voltage AC | 24 V |
| Power max. | 1,5 W |
| Power maintained | 1,5 W |
| Power non-maintained | 0,4 W |
| Ambient temperature maintained mode | -5 °C to 40 °C |



| | |
|---|---------------------|
| Ambient temperature non-maintained mode | -5 °C to 40 °C |
| Depth | 20 mm |
| Width | 90 mm |
| Height | 90 mm |
| Installation dimensions Diameter | 68 mm |
| Weight | 0.66 |
| Weight incl. packaging | 0.69 |
| Connection cross-section | 2.5 mm ² |
| Switching input | No |
| Emergency light blocking | No |
| Battery connection | No |
| Dimming function | Yes |
| Luminous flux mains | 140 lm |
| Luminous flux emergency | 140 lm |
| Customs tariff number | 94056180 |
| GTIN | 4260682157652 |



TECHNICAL DRAWING



As of: 08.07.2026 - Subject to technical changes and errors.