



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

RP-Technik GmbH

**KAXU408SC**

Revision date: 15.12.2022

Page 1 of 13

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **1.1. Product identifier**

KAXU408SC

#### **Further trade names**

Type: 3,2 V; 1600 mAh; 5,12 Wh

#### **1.2. Relevant identified uses of the substance or mixture and uses advised against**

##### **Use of the substance/mixture**

batteries and accumulators

#### **1.3. Details of the supplier of the safety data sheet**

|                        |                               |                        |
|------------------------|-------------------------------|------------------------|
| <b>Company name:</b>   | RP-Technik GmbH               |                        |
| <b>Street:</b>         | Hermann-Staudinger-Str. 10-16 |                        |
| <b>Place:</b>          | D-63110 Rodgau                |                        |
| <b>Telephone:</b>      | +49 (6106) 660 28 - 0         | +49 (6106) 660 28 - 40 |
| <b>E-mail:</b>         | info@rp-group.com             |                        |
| <b>Contact person:</b> | Francisco Goerke              |                        |
| <b>E-mail:</b>         | product@rp-group.com          |                        |

#### **1.4. Emergency telephone number:**

+49 (6106) 660 28 - 0 (24 h.)

#### **Further Information**

This battery pack is an article according to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Regulation (EU) No. 453/2010, and is not subject to the REACH regulation. The information contained in this safety data sheet contains valuable and critical information for the safe and proper use of the product. This SDS should be kept and made available to employees and other users of the product.

### SECTION 2: Hazards identification

#### **2.1. Classification of the substance or mixture**

##### **Regulation (EC) No 1272/2008**

Acute Tox. 3; H301  
Acute Tox. 3; H311  
Acute Tox. 3; H331  
Skin Corr. 1A; H314  
Eye Dam. 1; H318  
Skin Sens. 1; H317  
Carc. 2; H351  
STOT RE 1; H372

Full text of hazard statements: see SECTION 16.

#### **2.2. Label elements**

##### **Additional advice on labelling**

Labelling according to Regulation (EC) No. 1272/2008 [CLP]: not applicable / not relevant  
The product is: article (batteries and accumulators)

#### **2.3. Other hazards**

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.  
Risk of explosion by shock, friction, fire or other sources of ignition. (Formation of: Gases/vapours, toxic) Do not open container by force. To avoid risks to man and the environment, comply with the instructions for use.



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

RP-Technik GmbH

**KAXU408SC**

Revision date: 15.12.2022

Page 2 of 13

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

##### Chemical characterization

The product is: article (batteries and accumulators)

##### Relevant ingredients

| CAS No     | Chemical name                                                                                                      | Quantity  |
|------------|--------------------------------------------------------------------------------------------------------------------|-----------|
| 15365-14-7 | Lithium Iron Phosphate                                                                                             | 25 - 30 % |
| —          | —                                                                                                                  | —         |
| —          | Not classified as hazardous under CLP                                                                              | —         |
| 7782-42-5  | Graphite                                                                                                           | 8 - 12 %  |
| 231-955-3  | —                                                                                                                  | —         |
| —          | Not classified as hazardous under CLP                                                                              | —         |
| 7440-02-0  | Nickel                                                                                                             | 0,5 - 1 % |
| 231-111-4  | 028-002-00-7                                                                                                       | —         |
| —          | Carc. 2; H351, Resp. Sens. 1; H334, Skin Sens. 1; H317, STOT RE 1; H372                                            | —         |
| —          | High molecular polymer (binder)                                                                                    | 3 - 5 %   |
| —          | —                                                                                                                  | —         |
| —          | Not classified as hazardous under CLP                                                                              | —         |
| 7429-90-5  | Aluminium                                                                                                          | 5 - 8 %   |
| 231-072-3  | —                                                                                                                  | —         |
| —          | Flam. Sol. 1; H228 (powder form)                                                                                   | —         |
| 7440-50-8  | Copper                                                                                                             | 10 - 15 % |
| 231-159-6  | —                                                                                                                  | —         |
| —          | Not classified as hazardous under CLP                                                                              | —         |
| 21324-40-3 | Lithium hexafluorophosphate                                                                                        | 15 - 22 % |
| 244-334-7  | —                                                                                                                  | —         |
| —          | Acute Tox. 3; H301, Acute Tox. 3; H311, Acute Tox. 3; H331, Skin Corr. 1A; H314, Eye Dam. 1; H318, STOT RE 1; H372 | —         |
| 7439-89-6  | Iron                                                                                                               | 22 - 30 % |
| 231-096-4  | —                                                                                                                  | —         |
| —          | Not classified as hazardous under CLP                                                                              | —         |

Full text of H and EUH statements: see section 16.

##### Specific Conc. Limits, M-factors and ATE

| CAS No     | EC No                                           | Chemical name                   | Quantity  |
|------------|-------------------------------------------------|---------------------------------|-----------|
| 21324-40-3 | 244-334-7                                       | Lithium hexafluorophosphate(1-) | 15 - 22 % |
| —          | <b>Specific Conc. Limits, M-factors and ATE</b> | —                               | —         |
| —          | oral: ATE = not determined                      | —                               | —         |



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

RP-Technik GmbH

**KAXU408SC**

Revision date: 15.12.2022

Page 3 of 13

### SECTION 4: First aid measures

#### **4.1. Description of first aid measures**

##### **General information**

In all cases of doubt or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.

##### **After inhalation**

Remove from exposure immediately and move to fresh air. If breathing is difficult, administer oxygen if available. Seek medical attention immediately.

##### **After contact with skin**

Remove contaminated clothing and shoes immediately. Rinse skin thoroughly with plenty of water for at least 15 minutes. Seek medical attention immediately.

##### **After contact with eyes**

Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Seek medical attention immediately.

##### **After ingestion**

Give at least 2 glasses of milk or water. Induce vomiting only if patient is conscious. Seek medical attention immediately.

#### **4.2. Most important symptoms and effects, both acute and delayed**

In the event of exposure to internal cell contents: vapour/fumes may be very irritating to the eyes and skin. Inhalation may cause lung irritation. Ingestion may cause poisoning. Target organs: nerves, liver and kidneys.

#### **4.3. Indication of any immediate medical attention and special treatment needed**

In the event of exposure to internal battery contents, immediate medical attention is required. Moderate to severe irritation, burning and dryness of the skin may occur.

### SECTION 5: Firefighting measures

#### **5.1. Extinguishing media**

##### **Suitable extinguishing media**

Water (large quantities for cooling), Carbon dioxide (CO<sub>2</sub>).

Co-ordinate fire-fighting measures to the fire surroundings.

#### **5.2. Special hazards arising from the substance or mixture**

Cell may vent when subjected to excessive heat, exposing battery contents. Hazardous combustion products include: carbon monoxide, carbon dioxide, lithium oxide fumes. May form peroxides upon decomposition.

#### **5.3. Advice for firefighters**

Wear self-contained breathing apparatus (SCBA) and full protective clothing. Use water spray to cool fire-exposed containers and surroundings.

##### **Additional information**

Do not allow fire-fighting water to enter drains or water courses. Batteries subjected to fire or high temperatures may explode. Flash point: not applicable to article as supplied. Auto-ignition temperature: not applicable to article as supplied.



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

RP-Technik GmbH

**KAXU408SC**

Revision date: 15.12.2022

Page 4 of 13

### SECTION 6: Accidental release measures

#### **6.1. Personal precautions, protective equipment and emergency procedures**

##### **General advice**

If battery material is released, remove all personnel from the area until fumes dissipate. Avoid skin and eye contact and inhalation of vapours.

##### **For non-emergency personnel**

Provide maximum ventilation to clear out hazardous gases. Do not re-enter area until confirmed safe.

##### **For emergency responders**

Wear personal protection equipment (refer to section 8).

#### **6.2. Environmental precautions**

Do not allow released material to enter drains, water courses or soil. No known environmental hazards at present under normal use conditions.

#### **6.3. Methods and material for containment and cleaning up**

##### **For containment**

Place leaking battery in a plastic bag and then into a steel container. Keep the battery cool and allow vapours to dissipate.

##### **For cleaning up**

Wipe up spilled material with a cloth. Remove spilled liquid with absorbent material and incinerate in accordance with local regulations.

##### **Other information**

Use non-sparking tools. The preferred response is to leave the area, allow the battery to cool and vapours to dissipate, then provide maximum ventilation.

#### **6.4. Reference to other sections**

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

RP-Technik GmbH

**KAXU408SC**

Revision date: 15.12.2022

Page 5 of 13

### SECTION 7: Handling and storage

#### **7.1. Precautions for safe handling**

##### **Advice on safe handling**

Do not open, destroy or incinerate cells. Do not short circuit terminals. Do not overcharge or force over-discharge. Do not throw into fire. Do not crush or puncture the battery. Do not immerse in liquids. Avoid mechanical or electrical abuse.

##### **Advice on protection against fire and explosion**



Do not expose to heat above 70 °C. Do not incinerate. Do not disassemble. The battery may explode or cause burns if disassembled, crushed or exposed to fire or high temperatures. Do not short circuit or install with incorrect polarity.

##### **Advice on general occupational hygiene**

Avoid skin and eye contact with internal battery contents. Wash hands thoroughly after handling. Do not eat, drink or smoke in areas where batteries are handled.

##### **Further information on handling**

Do not place batteries near heating equipment. Do not expose to direct sunlight for long periods.

#### **7.2. Conditions for safe storage, including any incompatibilities**

##### **Requirements for storage rooms and vessels**

Store in a cool, dry and well-ventilated area with little temperature change. Keep away from heat sources and direct sunlight.

##### **Hints on joint storage**

Do not store together with: Oxidising agents, alkalis, water, strong oxidizers, mineral acids, strong bases, halogenated hydrocarbons.

##### **Further information on storage conditions**

Keep away from heat. (Temperature > 70 °C) Protect from direct sunlight. Protect from moisture.

#### **7.3. Specific end use(s)**

batteries and accumulators



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

RP-Technik GmbH

KAXU408SC

Revision date: 15.12.2022

Page 6 of 13

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### Occupational exposure limits

| CAS No    | Substance                                                | ppm | mg/m <sup>3</sup> | fib/cm <sup>3</sup> | Category      | Origin |
|-----------|----------------------------------------------------------|-----|-------------------|---------------------|---------------|--------|
| 7429-90-5 | Aluminium metal (Respirable Fraction)                    | -   | 1                 | —                   | TWA (8 h)     | —      |
| 7440-50-8 | Copper, fume                                             | -   | 0.2               | —                   | TWA (8 h)     | —      |
| -         | Fluorides, inorganic                                     | -   | 2.5               | —                   | TWA (8 h)     | —      |
| 7782-42-5 | Graphite (all forms except fibres) (Respirable Fraction) | -   | 2                 | —                   | TWA (8 h)     | —      |
| -         | Iron salts (as Fe)                                       | -   | 1                 | —                   | TWA (8 h)     | —      |
| -         | —                                                        | -   | 2                 | —                   | STEL (15 min) | —      |
| 7440-02-0 | Nickel                                                   | -   | 0.5               | —                   | TWA (8 h)     | —      |

##### Biological limit values

| CAS No    | Substance | Parameter | Value  | Test material | Sampling time                            |
|-----------|-----------|-----------|--------|---------------|------------------------------------------|
| 7440-02-0 | Nickel    | Ni        | 3 µg/L | Urine         | After several consecutive working shifts |

#### 8.2. Exposure controls

##### Appropriate engineering controls

Under normal use conditions, no special engineering controls are required. In the event of battery venting, provide maximum ventilation. Avoid confined areas with venting cell cores.

##### Individual protection measures, such as personal protective equipment

###### Eye/face protection

Not necessary under normal use conditions. In the event of battery venting or handling of open cells: safety glasses with side shields.

###### Hand protection



Not necessary under normal use conditions. In the event of battery venting or handling of open cells: protective gloves.

###### Skin protection

Not necessary under normal use conditions. In the event of battery venting or handling of open cells: full protective clothing.

###### Respiratory protection

Not necessary under normal use conditions. In the event of battery venting: provide maximum ventilation. Use respiratory protection (SCBA) when handling venting batteries in confined spaces.

###### Thermal hazards

Protect against heat exposure above 70 °C. Do not expose to direct flame or incinerate.

###### Environmental exposure controls

Do not allow released battery contents to enter drains, water courses or soil.



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

RP-Technik GmbH

### KAXU408SC

Revision date: 15.12.2022

Page 7 of 13

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|                                                           |                                                                                           |
|-----------------------------------------------------------|-------------------------------------------------------------------------------------------|
| Physical state:                                           | Solid (sealed article)                                                                    |
| Colour:                                                   | Green (approximately cylindrical housing)                                                 |
| Odour:                                                    | Odourless under normal conditions; ether-like/irritating if leaking                       |
| Odour threshold:                                          | not applicable                                                                            |
| Melting point/freezing point:                             | Not applicable to article as supplied                                                     |
| Boiling point or initial boiling point and boiling range: | Not applicable to article as supplied                                                     |
| Flammability:                                             | Not applicable to article as supplied; individual electrolyte components may be flammable |
| Lower explosion limits:                                   | not determined                                                                            |
| Upper explosion limits:                                   | not determined                                                                            |
| Flash point:                                              | Not applicable to article as supplied                                                     |
| Auto-ignition temperature:                                | Not applicable to article as supplied                                                     |
| Decomposition temperature:                                | Avoid temperatures above 70 °C                                                            |
| pH-Value:                                                 | Not applicable to article as supplied                                                     |
| Viscosity / kinematic:                                    | Not applicable to article as supplied                                                     |
| Water solubility:                                         | Not applicable to article as supplied                                                     |
| Solubility in other solvents:                             | not determined                                                                            |
| Partition coefficient n-octanol/water:                    | not determined                                                                            |
| Vapour pressure:                                          | Not applicable to article as supplied                                                     |
| Density:                                                  | Not applicable to article as supplied                                                     |
| Relative vapour density:                                  | not determined                                                                            |
| Particle characteristics:                                 | not determined                                                                            |

### 9.2. Other information

No information available.

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No hazardous reaction when handled and stored according to the provisions in Section 7.

### 10.2. Chemical stability

Product is stable under conditions described in Section 7 (normal ambient temperatures, dry conditions, no mechanical abuse).

### 10.3. Possibility of hazardous reactions

Heat / In case of fire: Danger of venting and possible explosion of cell. Handle with care - avoid bumps, friction and impact. Overcharge and forced over-discharge may cause hazardous reactions.

### 10.4. Conditions to avoid

Heat above 70 °C, incineration, deformation, mutilation, crushing, disassembly, overcharging, short circuit, prolonged exposure to humid conditions.

### 10.5. Incompatible materials

Oxidising agents, alkalis, water, strong oxidizers, mineral acids, strong bases, halogenated hydrocarbons.

### 10.6. Hazardous decomposition products

In case of fire or venting: carbon monoxide, carbon dioxide (CO<sub>2</sub>), lithium oxide fumes, toxic fumes, may form peroxides. If leaked, avoid contact with strong oxidizers, mineral acids, strong alkalis, halogenated hydrocarbons.



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

RP-Technik GmbH

KAXU408SC

Revision date: 15.12.2022

Page 8 of 13

### SECTION 11: Toxicological information

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

##### Acute toxicity

Harmful if swallowed (internal electrolyte components, e.g. lithium hexafluorophosphate). No hazard under normal use conditions as a sealed article.

##### ATEmix calculated

ATE (oral) not determined; ATE (dermal) not determined; ATE (inhalation vapour) not determined; ATE (inhalation dust/mist) not determined

| CAS No     | Chemical name                   |               |         |        |        |
|------------|---------------------------------|---------------|---------|--------|--------|
| —          | Exposure route                  | Dose          | Species | Source | Method |
| 21324-40-3 | Lithium hexafluorophosphate(1-) |               |         |        |        |
| —          | oral                            | ATE 100 mg/kg | —       | —      | —      |

##### Irritation and corrosivity

Internal contents (electrolyte) may cause severe skin burns and eye damage on contact. Vapour/fumes are very irritating to the eyes and skin in the event of cell rupture or venting.

##### Sensitising effects

May cause an allergic skin reaction (nickel content).

##### Carcinogenic/mutagenic/toxic effects for reproduction

Suspected of causing cancer (nickel content).

##### STOT-single exposure

Based on available data, the classification criteria are not met for the article as supplied under normal use conditions.

##### STOT-repeated exposure

Causes damage to organs through prolonged or repeated exposure (lithium hexafluorophosphate). May cause damage to organs through prolonged or repeated exposure (nickel). Target organs: nerves, liver and kidneys.

##### Aspiration hazard

Based on available data, the classification criteria are not met.

##### Information on likely routes of exposure

Under normal use: none. In event of cell rupture/venting: skin contact, eye contact, inhalation, ingestion (of internal contents including electrolyte).

#### 11.2. Information on other hazards

##### Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

RP-Technik GmbH

**KAXU408SC**

Revision date: 15.12.2022

Page 9 of 13

### SECTION 12: Ecological information

#### **12.1. Toxicity**

Based on available data, no known environmental hazards at present under normal use conditions. The product is not classified as ecotoxic.

#### **12.2. Persistence and degradability**

Slowly biodegradable. The product has not been fully tested.

#### **12.3. Bioaccumulative potential**

Slowly bio-degradable. The product has not been fully tested.

#### **12.4. Mobility in soil**

The product has not been tested.

#### **12.5. Results of PBT and vPvB assessment**

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, Annex XIII.

#### **12.6. Endocrine disrupting properties**

No information available indicating endocrine disrupting properties.

#### **12.7. Other adverse effects**

No information available.

#### **Further information**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of in accordance with appropriate local regulations.

### SECTION 13: Disposal considerations

#### **13.1. Waste treatment methods**

##### **Disposal recommendations**

Do not incinerate or subject cells to temperatures in excess of 70 °C; such abuse can result in leakage and/or cell explosion. It is recommended to fully discharge the battery before disposal to consume the lithium metal inside. Dispose of in accordance with appropriate local regulations. Do not pierce or burn, even after use. Do not allow to enter into surface water, drains or soil/subsoil.

##### **Contaminated packaging**

Dispose of packaging waste according to applicable local legislation.



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

RP-Technik GmbH

**KAXU408SC**

Revision date: 15.12.2022

Page 10 of 13

### SECTION 14: Transport information

#### Land transport (ADR/RID)

**14.1. UN number or ID number:** UN 3480

**14.2. UN proper shipping name:** LITHIUM ION BATTERIES (including lithium polymer batteries)

**14.3. Transport hazard class(es):** 9

**14.4. Packing group:** Not Applicable



Hazard label: 9A

Classification code: M4

Special Provisions: 188 230 310 348 360 376 377 387 390 670

Limited quantity: 0

Excepted quantity: E0

Transport category: 2

Tunnel restriction code: E

#### Inland waterways transport (ADN)

**14.1. UN number or ID number:** UN 3480

**14.2. UN proper shipping name:** LITHIUM ION BATTERIES (including lithium polymer batteries)

**14.3. Transport hazard class(es):** 9

**14.4. Packing group:** Not Applicable



Hazard label: 9A

Classification code: M4

Special Provisions: 188 230 310 348 360 376 377 387 390 670

Limited quantity: 0

Excepted quantity: E0

#### Marine transport (IMDG)

**14.1. UN number or ID number:** UN 3480

**14.2. UN proper shipping name:** LITHIUM ION BATTERIES (including lithium polymer batteries)

**14.3. Transport hazard class(es):** 9

**14.4. Packing group:** Not Applicable



Hazard label: 9A

Special Provisions: 188 230 310 348 360 376 377 384 387 390

Limited quantity: 0

Excepted quantity: E0

EmS: F-A, S-I

#### Air transport (ICAO-TI/IATA-DGR)

**14.1. UN number or ID number:** UN 3480

**14.2. UN proper shipping name:** LITHIUM ION BATTERIES (including lithium polymer batteries)

**14.3. Transport hazard class(es):** 9

**14.4. Packing group:** Not Applicable



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

RP-Technik GmbH

**KAXU408SC**

Revision date: 15.12.2022

Page 11 of 13



Hazard label: 9A

Special Provisions: A48 A88 A99 A154 A164 A181 A185 A213 A22

Limited quantity Passenger: Forbidden

Passenger LQ: Forbidden

Excepted quantity: E0

IATA-packing instructions - Passenger: 965 Section IB

IATA-max. quantity - Passenger: Not Applicable

IATA-packing instructions - Cargo: 965 Section IB

IATA-max. quantity - Cargo: Not Applicable

### **14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: No

### **14.6. Special precautions for user**

Lithium ion batteries must be of a type proved to meet the requirements of each test in the UN Manual of Tests and Criteria, Part III, sub-section 38.3. Cell watt-hour rating does not exceed 20 Wh (5,12 Wh). Battery watt-hour rating does not exceed 100 Wh. Compliant with IMDG CODE (Amdt. 40-20) 2020 special provision 188. May be transported as Non-restricted Good under applicable conditions. Packaging must prevent short circuit and mechanical damage. Protect against: Heat, Condensation, Humidity. Handle with care - avoid bumps, friction and impact.

### **14.7. Maritime transport in bulk according to IMO instruments**

not applicable

## **SECTION 15: Regulatory information**

### **15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

#### **EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 27, Entry 40, Entry 75

Information according to Directive 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

Marketing and use of explosives precursors (Regulation (EU) 2019/1148):

This product is regulated by Regulation (EU) 2019/1148: all suspicious transactions, and significant disappearances and thefts should be reported to the relevant national contact point.

#### **Additional information**

There is no requirement for the product to be specially labelled according to EC directives or the corresponding national laws.

#### **National regulatory information**

Water hazard class (D): 2 - obviously hazardous to water

#### **Additional information**

Observe in addition any national regulations!

### **15.2. Chemical safety assessment**

Chemical safety assessments for substances in this mixture were not carried out.



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

RP-Technik GmbH

**KAXU408SC**

Revision date: 15.12.2022

Page 12 of 13

### SECTION 16: Other information

#### Abbreviations and acronyms

Water-react: Substance and mixture which, in contact with water, emits flammable gas  
Flam. Sol: Flammable solid  
Acute Tox: Acute toxicity  
Skin Corr: Skin corrosion  
Eye Dam: Eye damage  
Skin Sens: Skin sensitisation  
Carc: Carcinogenicity  
STOT RE: Specific target organ toxicity - repeated exposure  
Aquatic Acute: Acute aquatic hazard  
Aquatic Chronic: Chronic aquatic hazard  
CLP: Classification, labelling and Packaging  
REACH: Registration, Evaluation and Authorization of Chemicals  
GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals  
UN: United Nations  
CAS: Chemical Abstracts Service  
M-Factor: Multiplication Factor  
DNEL: Derived No Effect Level  
DMEL: Derived Minimal Effect Level  
PNEC: Predicted No Effect Concentration  
ATE: Acute toxicity estimate  
LC50: Lethal concentration, 50%  
LD50: Lethal dose, 50%  
LL50: Lethal loading, 50%  
EL50: Effect loading, 50%  
EC50: Effective Concentration 50%  
ErC50: Effective Concentration 50%, growth rate  
NOEC: No Observed Effect Concentration  
BCF: Bio-concentration factor  
PBT: persistent, bioaccumulative, toxic  
vPvB: very persistent, very bioaccumulative  
ADR: Accord européen sur le transport des marchandises dangereuses par Route  
RID: Regulations concerning the international carriage of dangerous goods by rail  
ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways  
IMDG: International Maritime Code for Dangerous Goods  
EmS: Emergency Schedules  
MFAG: Medical First Aid Guide  
IATA: International Air Transport Association  
ICAO: International Civil Aviation Organization  
TI: Technical Instructions  
DGR: Dangerous Goods Regulations  
MARPOL: International Convention for the Prevention of Marine Pollution from Ships  
IBC: Intermediate Bulk Container  
VOC: Volatile Organic Compounds  
EG or EC: European Community  
IE: Industrial Emissions  
SVHC: Substance of Very High Concern

#### Key literature references and sources for data

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations). (v.1.2, 2013)

#### Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

| Classification     | Classification procedure |
|--------------------|--------------------------|
| Acute Tox. 3; H301 | Calculation method       |



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

RP-Technik GmbH

### KAXU408SC

Revision date: 15.12.2022

Page 13 of 13

|                     |                    |
|---------------------|--------------------|
| Acute Tox. 3; H311  | Calculation method |
| Acute Tox. 3; H331  | Calculation method |
| Skin Corr. 1A; H314 | Calculation method |
| Eye Dam. 1; H318    | Calculation method |
| Skin Sens. 1; H317  | Calculation method |
| Carc. 2; H351       | Calculation method |
| STOT RE 1; H372     | Calculation method |

#### Relevant H and EUH statements (number and full text)

|      |                                                                    |
|------|--------------------------------------------------------------------|
| H301 | Toxic if swallowed.                                                |
| H302 | Harmful if swallowed.                                              |
| H314 | Causes severe skin burns and eye damage.                           |
| H317 | May cause an allergic skin reaction.                               |
| H318 | Causes serious eye damage.                                         |
| H351 | Suspected of causing cancer.                                       |
| H372 | Causes damage to organs through prolonged or repeated exposure.    |
| H373 | May cause damage to organs through prolonged or repeated exposure. |
| H400 | Very toxic to aquatic life.                                        |
| H412 | Harmful to aquatic life with long lasting effects.                 |

#### Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

*(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*