



Art.-Nr: AMDP003SC-AZ Exit sign Self-contained Pendulum ceiling construction, SelfControl (SC), 3 h, 22 m, IP40, Zinc die-cast, Anthracite

Modern zinc die-cast emergency exit sign luminaire with pendant for surface mounting on the ceiling. Escape and emergency routes can be identified on either one or two sides.

It is part of the A series luminaire family, which provides solutions for any mounting and has won the German Design Award for its uniform, straight-line design.

Automatic monitoring of safety luminaire with SelfControl. Planning certainty is provided by tool-free, variable use of the pictograms on site. A set of pictograms corresponding to DIN ISO 7010 (arrow to the right, left, up and down) is supplied as standard.





More information
www.rp-group.com/en/item/AMDP003SC-



TECHNICAL DATA

Luminaire type	Exit sign			
Mounting	Pendulum ceiling construction			
Recognition distance	22 m			
Pictograph	Set			
Illuminant	LED			
Housing material	Zinc die-cast			
Housing color	Anthracite			
Protection type (IP)	IP40			
Impact resistance (IK)	≥ 3			
Certification	WEEE, CE			
Insulation class	2			
Supply	Self-contained			
Monitoring	SelfControl (SC)			
Bridging time	3 h			
Battery	NIMH 4,8 V/2,0 Ah			
Operating mode	Non-maintained / maintained			
Input voltageAC	230 V			






Input frequency	50 / 60 Hz			
Power max.	4,7 W			
Power maintained	4,7 W			
Power non-maintained	1,95 W			
Ambient temperature maintained mode	-5 °C to 40 °C			
Ambient temperature non-maintained mode	-5 °C to 40 °C			
Depth	82 mm			
Width	222 mm			
Height	143 mm			
Weight	1.59			
Weight incl. packaging	1.95			
Connection cross-section	2.5 mm ²			
Switching input	Yes			
Emergency light blocking	Yes			
Battery connection	Connector			
Dimming function	Yes			
Customs tariff number	94056180			
EAN	4260581713928			





TECHNICAL DRAWING



ACCESSORY LIST

AM-X-APA - Surface-mounted adapter AM/AX AM-X-PKG -





RELATED PRODUCTS

ArtNo.	Image	Monitoring	Supply	Color	Investment	Automatic log	Maintenance level	Remote main- tenance	max. luminai- res	Single luminai- re monitoring
AMDP003SC	₹ →	SelfControl (SC)	Single battery	RAL 9003	€	no	high	no	unlimited	itself
AMDP003SC-E	4 2	SelfControl (SC)	Single battery	Edelstahl	€	no	high	no	unlimited	itself

As of: 14.05.2025 - Subject to technical changes and errors.