

CE



Art.-Nr: FGL-OUT-WEISS-029 Emergency light Centralised power supply systems Ceiling mounting, Without monitoring, CPS, , IP65, Zinc diecast, White

Closed zinc aluminium safety luminaire for fitting in the ceiling.

The high level of protection is achieved by the pane integrated into the front and the seal between the luminaire and ceiling. This permits use in damp rooms or highly contaminated environments, for example.



More information www.rp-group.com/en/item/FGL-OUT-WEISS-029



TECHNICAL DATA

Luminaire type	Emergency light
Mounting	Ceiling mounting
Pictograph	No
Illuminant	LED
Housing material	Zinc die-cast
Housing color	White
Protection type (IP)	IP65
Impact resistance (IK)	≥ 3
Certification	WEEE, CE
Insulation class	2
Supply	Centralised power supply systems
Monitoring	Without monitoring
Bridging time	CPS
Battery	/
Operating mode	Permanent circuit
Input voltageAC	230 V
Input frequency	50 / 60 Hz
Input voltage DC	100-254 V
Power max.	3,9 W
Power maintained	3,9 W
Power non-maintained	0 W






Ambient temperature maintained mode	-20 °C to 40 °C
Ambient temperature non-maintained mode	-20 °C to 40 °C
Height	110 mm
Diameter	80 mm
Installation height	130 mm
Installation dimensions Diameter	70 mm
Weight	0.5
Weight incl. packaging	0.63
Connection cross-section	1.5 mm²
Switching input	No
Emergency light blocking	No
Battery connection	No
Dimming function	No
Luminous flux mains	300 lm
Luminous flux emergency	300 lm
Customs tariff number	94056180
EAN	4260581717551





TECHNICAL DRAWING







RELATED PRODUCTS

ArtNo.	lmage	Monitoring	Supply	Color	Investment	Automatic log	Maintenance level	Remote main- tenance	max. luminai- res	Single luminai- re monitoring
FGL-OUT- CHROM-029		Without moni- toring		RAL 9003						
FGL-OUT- CHROM-029M L		Central power supply (ML)	Central power supply	RAL 9003	€€€	Yes	low	Yes	1,920 per sys- tem	central
FGL-OUT- CHROM-029M LE		Central power supply (ML)	Central power supply	RAL 9003	€€€	Yes	low	Yes	1,920 per sys- tem	central
FGL-OUT- SI.GR-029ML		Central power supply (ML)	Central power supply	RAL 9003	€€€	Yes	low	Yes	1,920 per sys- tem	central
FGL-OUT- WEISS-029ML		Central power supply (ML)	Central power supply	RAL 9003	€€€	Yes	low	Yes	1,920 per sys- tem	central
FGL-OUT- WEISS-029ML E		Central power supply (ML)	Central power supply	RAL 9003	€€€	Yes	low	Yes	1,920 per sys- tem	central

As of: 17.05.2025 - Subject to technical changes and errors.