



Art.-Nr: KWD003SC Exit sign Self-contained Surface mounting, SelfControl (SC), 3 h, 16 m, IP43, Polycarbonate, White

Classic high-grade polycarbonate luminaire for ceiling mounting. Pictogram set included. Improved reliability through easy to install universal use of pictograms. Signs according EN 60598-1, EN 60598-2-22 and EN 1838 norms.

Automatic monitoring of safety luminaire with SelfControl.





More information www.rp-group.com/en/item/KWD003SC



TECHNICAL DATA


Luminaire type	Exit sign
Mounting	Surface mounting
Recognition distance	16 m
Pictograph	Set
Illuminant	LED
Housing material	Polycarbonate
Housing color	White
Protection type (IP)	IP43
Impact resistance (IK)	≥ 3
Certification	WEEE, CE
Insulation class	2
Supply	Self-contained
Monitoring	SelfControl (SC)
Bridging time	3 h
Battery	NIMH 4,8 V/2,0 Ah
Operating mode	Non-maintained / maintained
Input voltage AC	230 V
Input frequency	50 / 60 Hz
Power max.	3,1 W
Power maintained	1,6 W
Power non-maintained	0,35 W





Ambient temperature maintained mode	-5 °C to 40 °C
Ambient temperature non-maintained mode	-5 °C to 40 °C
Depth	92 mm
Width	360 mm
Height	125 mm
Weight	0.72
Weight incl. packaging	0.81
Connection cross-section	2.5 mm²
Switching input	Yes
Emergency light blocking	Yes
Battery connection	Connector
Dimming function	Yes
Customs tariff number	94056120
GTIN	4260123686260

TECHNICAL DRAWING







ACCESSORY LIST

DSA - Wire suspension

BKW -

KWE-

2PW-EB - Pendant

2DW-EB -

NIMHHT4820Q - Battery

RELATED PRODUCTS

ArtNo.	lmage	Monitoring	Supply	Color	Investment	Automatic log	Maintenance level	Remote main- tenance	max. luminai- res	Single luminai- re monitoring
KWD003	±	Without monitoring		RAL 9003						
KWD003BC	3 → S	Bus control		RAL 9003						
KWD003WL	4	Wireless Pro- fessional (WL)	Single battery	RAL 9003	€€	yes	low	yes	1,000 per system	central
KWD013		Without monitoring		RAL 9003						
KWD013BC	<u></u> }	Bus control		RAL 9003						
KWD013SC	± 3 →	SelfControl (SC)	Single battery	RAL 9003	€	no	high	no	unlimited	itself
KWD013SC- COOLIP54	2	SelfControl (SC)	Single battery	RAL 9003	€	no	high	no	unlimited	itself
KWD013WL	3 → S	Wireless Pro- fessional (WL)	Single battery	RAL 9003	€€	yes	low	yes	1,000 per system	central

As of: 05.09.2025 - Subject to technical changes and errors.