



## Art.-Nr: PMW401WL Exit sign Self-contained Wall mounting, Wireless Professional (WL), 1 h, 20 m, IP65, Polycarbonate, White

Plastic LED emergency exit sign luminaire with convex shaped surround for wall mounting.

To help with mounting, levelling screws are integrated to compensate for uneven surfaces.

The set of pictograms is inserted on the inside and secured without the use of solvents.

Wireless central control and monitoring for large installations of up to 50,000 luminaires with Wireless Professional. Planning certainty is provided by tool-free, variable use of the pictograms on site. A set of pictograms corresponding to DIN ISO 7010 (2x man in the door and 2 straight arrows) are supplied as standard.









More information www.rp-group.com/en/item/PMW401WL



## **TECHNICAL DATA**

Luminaire type	Exit sign
Mounting	Wall mounting
Recognition distance	20 m
Pictograph	Set
Illuminant	LED
Housing material	Polycarbonate
Housing color	White
Protection type (IP)	IP65
Impact resistance (IK)	6
Certification	WEEE, CE, 5 years warranty, HACCP
Insulation class	2
Supply	Self-contained
Monitoring	Wireless Professional (WL)
Bridging time	1 h
Battery	LiFePO4 6,4 V/1,6 Ah
Operating mode	Non-maintained / maintained






Input voltageAC	230 V				
Input frequency	50 Hz				
Power max.	3,4 W				
Power maintained	2,9 W				
Power non-maintained	0,8 W				
Ambient temperature maintained mode	-5 °C to 40 °C				
Ambient temperature non-maintained mode	-5 °C to 40 °C				
Depth	65 mm				
Width	236 mm				
Height	136 mm				
Weight	0.77				
Weight incl. packaging	0.9				
Connection cross-section	2.5 mm²				
Switching input	Yes				
Emergency light blocking	Yes				
Battery connection	Connector				
Dimming function	Yes				
Customs tariff number	94056120				
EAN	4260682158987				







## TECHNICAL DRAWING











## RELATED PRODUCTS

ArtNo.	Image	Monitoring	Supply	Color	Investment	Automatic log	Maintenance level	Remote main- tenance	max. luminai- res	Single luminai- re monitoring
PMW001SC	<b>3</b> >	SelfControl (SC)	Single battery	RAL 9003	€	no	high	no	unlimited	itself

As of: 20.03.2025 - Subject to technical changes and errors.